

BREEAM V7.

A significant shift in how sustainability is assessed.

SUSTAINABILITY GROUP SEPTEMBER 2025





BREEAM V7.

Our overview of the changes.

At a glance.

Largest change in BREEAM criteria since 2011.

Major updates to 20 credits.

Buildings using fossil fuels in operation will be limited to an Excellent rating.

Heat pumps do not count as a low/zero carbon energy generation technologies.


New minimum standards for achieving 'Excellent' and 'Outstanding' ratings across carbon, water, refrigerants and daylighting.

New BREEAM platform, to support the delivery of V7 assessments.

What's new in BREEAM V7?

BREEAM V7 not only updates the methodology behind individual credits but also marks a significant shift in how sustainability is assessed. Whereas previous versions focused largely on design intent, V7 places greater emphasis on measured or predicted performance outcomes. This aligns with evolving regulatory and compliance practices, and leverages advancements in digital assessment tools and availability of data. The further ESG alignment in V7 highlights BREEAM's growing role not just as a design framework, but as a robust investment tool that offers assurance to regulators, occupiers, and investors.

Find out more about Hoare Lea's experienced assessors and BREEAM APs on page 4.



BREEAM V7.

Key changes by theme.



Energy and carbon.

Shifts energy assessment towards performance metrics, efficient systems, technologies and flexible energy demand strategies.



Materials and waste.

Greater focus on promoting Whole Life Carbon and circular economy principles.

2



Water.

Simplifies water consumption calculations and introduces benchmarks based on actual use and occupancy.



Land-use and ecology.

Reduce the use of high embodied carbon materials and consider natural or renewable materials.



Pollution.

Encourages fossil fuel-free developments and introduces minimum requirements for refrigerants.



Management.

Alignment to the EU taxonomy and promotion of Zero Transition Plans.

What will be the impact?

New minimum standards for 'Excellent' and 'Outstanding' ratings will set the bar, driving the industry towards performance-led approaches. The new changes will likely make scoring the same rating more challenging, although we anticipate that strategies will adapt. This may have a cost implication as more specialist input and modelling will be required, however this may be offset by the improved performance of the asset, rationalisation of some credits and removal of outdated processes.

BREEAM V7 changes.

What are the drivers?

Industry alignment.

There is improved coherence across all areas to different BREEAM schemes and international sustainability frameworks. The updates aim to align with the EU Taxonomy, GRESB, and CRREM, making it more relevant for investors and clients seeking demonstrable ESG performance.

Alignment witl

BREEAM In-use GRESB EU taxonomy CRREM

Performance.

Focus shifts on several themes from design intentions to verified performance. The framework places greater emphasis on real-world outcomes, in areas such as operational energy use, embodied carbon, and water consumption. This reflects a broader industry move toward accountability and net zero targets, encouraging early-stage modelling and data-driven decision-making.

Alignment with

NABERS UK Net Zero Carbon Building Standard

Whole life thinking and circular economy.

There is a greater focus on assessing environmental impact across the full lifecycle of a building. This is achieved through the enhanced Life Cycle Assessment requirements and new carbon benchmarks, alongside greater alignment with circular economy principles in waste credits. This aligns with regulatory requirements already introduced by local authorities such as the Greater London Authority (GLA).

Alignment with:

The London Plan, March 2021 RICS Professional Standard (whole life carbon assessment for the built environment)

Environment and pollution.

Requirements are tightened around environmental impact and pollution, with more stringent standards on refrigerants, stronger controls on air and water pollution, and clearer links to biodiversity and flood risk. There is also a bigger push for fossil fuel-free buildings, better surface water management, and alignment with biodiversity net gain principles This is aimed at reducing harm to the local environment and supporting long-term ecological resilience.

Alignment with:

DEFRA
Environment Act 2021
Schedule 14

Health and wellbeing.

Social and human aspects also take a more prominent role, with refined criteria around daylight, air quality, acoustics, and non-visual effects of lighting. These updates aim to support more occupant centred design and ensure indoor environments contribute positively to comfort and productivity, reflecting rising commercial focus on these areas.

Alignment with:

EU taxonomy

Summary of major credit changes - See appendix A

BREEAM V7 KEY CHANGES AND IMPACTS BREEAM V7
KEY CHANGES AND IMPACTS

Sustainability industry pioneers.

Hoare Lea can help you.

Environmental sustainability sits at the heart of our firm's influence on the built environment. We have been delivering BREEAM at all levels on projects since 1990.

We have 14 licensed BREEAM assessors, supported by a team of over 100 sustainability professionals, with specialist skills in sustainability and environmental design complimented by a proven track record of delivering BREEAM certification across a multitude of projects.

BREEAM Accredited Professionals (APs).

Our BREEAM APs draw on real project experience to optimise the scoring strategy in support of the client's ambitions. We collaborate with the team to understand the project drivers and identify where BREEAM can add the most value.

493
Certified projects
23
Outstanding
200
Excellent

14
Licensed BREEAM assessors

A multi-disciplinary offer.

MEP Design

- Optimising HVAC systems to maximise credits inc. refrigerants to lower GWP
- BREEAM specification clauses

Air Quality

- Indoor Air Quality Plans
- Advice on ventilation pathways
- Integrate good air quality into the design

Security

- Security Needs Assessments
- Engineering-led, risk-based, threat-informed systems approach to provide clients with a fully coordinated design

Acoustics

- Optimise sound insulation, indoor ambient noise levels and room acoustics
- Surveying, design and commissioning

Whole Life Carbon

- Passive Design Analysis
- Low/zero carbon feasibility studies
- Calculation of energy performance
- Prediction of Operational Energy
- Identifying energy efficient systems
- Thermal comfort assessments
- Lifecycle analysis to identify carbon hotspots and help clients meet targets
- Third party verification
- Sustainable Procurement Plans

Vertical Transport


 Optimised lift design to achieve energy and carbon savings in operation

Lighting

- Daylight analysis
- Visual performance and comfort delivered through careful artificial lighting design and considered occupant controls
- Sensitive lighting design to minimise external pollution

Introducing Verity.

Our collaborative online assessment platform.



To assist with the transition to BREEAM V7, we are developing a collaborative online assessment platform that we call 'Verity'.

This is unique to Hoare Lea and allows the design team and assessors to work together to determine the optimum routes to achieve the different ratings for any building type in order to help clients make decisions relating to BREEAM targets.

Verity will allow us to track performance against the BREEAM criteria through a visual and interactive online platform.

At the click of a button, all team members can access the live assessment to check progress and identify their own actions.

Clear and consistent reports can be created at each project stage to support key milestones and maximise scoring. BREEAM V7
KEY CHANGES AND IMPACTS

APPENDIX A

Major credit changes.

Performance.

Ene 01	Energy and carbon performance for regulated energy	Flexible weighting scale for 3 metricsExcellent = 4 credits; Outstanding = 6 creditsAdditional evidence - As Built EPC	
Ene 02	Prediction of operational energy and carbon	Separated from Ene 01Exemplary credit = Third-party verification of energy models	NEW CREDITS
Ene 04	Low carbon design	 Building form analysis (1 credit) Fabric performance (2 credits - 5/10%) Reduced selection of LZCs (biomass caveated) Heat pumps ineligible 	
Ene 05	Energy efficient equipment	Reworked Ene 08Major reconfiguration of credits (5nr)Alternative method for demonstrating energy efficiency	
Ene 06	Energy efficient systems	 Combines old Ene 03, 05, 06 and 07 Scope includes: external lighting, cold storage, lifts, escalators, swimming pools, commercial laundry, server cooling systems, but excludes laboratories 	
Ene 07	Flexible demand response	 Rewards proportion of fixed systems that can automatically modify their electricity consumption patterns in response to signals from the electricity supplier 	NEW CREDITS
Ene 08	Installed controls	 Recognises installed controls that enable building servicing systems to respond more efficiently to the demand for energy services 	NEW CREDITS

Whole life thinking and Circular Economy.

Mat 01	Building Life Cycle Assessment (LCA)	 New credits for as-built LCA 2 credits for comparison against embodied carbon benchmarks for different building types Submit LCA within 20 working days of submitting planning application Requirement to report Global Warming Potential (GWP) impacts to clients
Wst 01	Construction waste management	 Minimum requirement for Outstanding – Pre-Development Audit or Resource Management Plan

BREEAM V7
KEY CHANGES AND IMPACTS

Water.

Wat 01	Water consumption	 Simplification of calculator tool Benchmarks based on installed items only; calculation doesn't assume their presence in some building types Revised scoring scale - recycled water use is always recognised Removal of requirement to assess facilities in neighbouring buildings when none are present in actual
Wat 04	Water using equipment and systems	 5 credits available, rather than 1 Installing efficient systems for unregulated water Two methods of compliance: demonstrate efficiency compared to a standard version OR meet 'deemed to comply' requirements
Wat 05	Prediction of operational water use	 Sanitary water use = Wat 01 using expected, not standard, occupancy Non-sanitary = estimate

Environment and pollution.

LUE 01 Site selection - Requirement to use ISO 18400 Standard for site investigation LUE 02 Ecological risks and opportunities - Methodology for combined assessment route (1 and 2) - Removed items to place greater emphasis on Suitably Qualified Ecologist (SQE) input LUE 04 Enhancing site ecology - New benchmarks to align with English Biodiversity Net Gain policy - Calculation methodology for sites with no/ low biodiversity units Pol 01 Impact of refrigerants - Minimum standards for BREEAM Excellent and Outstanding - Pre-requisite for all refrigerants to have zero ozone depletion potential Pol 02 Local air quality - More credits for buildings with no on-site combustion (3nr) - Criteria relates to NOx only (VOCs and particulates excluded) Pol 05 Reduction in noise pollution - Noise level criteria now specify that it must be at least 5dB lower than background noise throughout the day			
opportunities (1 and 2) Removed items to place greater emphasis on Suitably Qualified Ecologist (SQE) input LUE 04 Enhancing site ecology New benchmarks to align with English Biodiversity Net Gain policy Calculation methodology for sites with no/ low biodiversity baseline based on absolute change in biodiversity units Pol 01 Impact of refrigerants Minimum standards for BREEAM Excellent and Outstanding Pre-requisite for all refrigerants to have zero ozone depletion potential Pol 02 Local air quality More credits for buildings with no on-site combustion (3nr) Criteria relates to NOx only (VOCs and particulates excluded) Pol 05 Reduction in noise pollution Noise level criteria now specify that it must be at least 5dB lower than background noise	LUE 01	Site selection	·
Biodiversity Net Gain policy Calculation methodology for sites with no/ low biodiversity baseline based on absolute change in biodiversity units Pol 01 Impact of refrigerants Minimum standards for BREEAM Excellent and Outstanding Pre-requisite for all refrigerants to have zero ozone depletion potential Pol 02 Local air quality More credits for buildings with no on-site combustion (3nr) Criteria relates to NOx only (VOCs and particulates excluded) Pol 05 Reduction in noise pollution Pol 06 Reduction in noise be at least 5dB lower than background noise	LUE 02	_	(1 and 2) - Removed items to place greater emphasis on
Outstanding Pre-requisite for all refrigerants to have zero ozone depletion potential Pol 02 Local air quality More credits for buildings with no on-site combustion (3nr) Criteria relates to NOx only (VOCs and particulates excluded) Pol 05 Reduction in noise pollution Pol 06 Reduction in noise be at least 5dB lower than background noise	LUE 04	Enhancing site ecology	Biodiversity Net Gain policy - Calculation methodology for sites with no/ low biodiversity baseline based on absolute change
combustion (3nr) - Criteria relates to NOx only (VOCs and particulates excluded) Pol 05 Reduction in noise pollution - Noise level criteria now specify that it must be at least 5dB lower than background noise	Pol 01	Impact of refrigerants	Outstanding - Pre-requisite for all refrigerants to have zero
pollution be at least 5dB lower than background noise	Pol 02	Local air quality	combustion (3nr) – Criteria relates to NOx only (VOCs and
	Pol 05		be at least 5dB lower than background noise

Continues on following page

BREEAM V7
KEY CHANGES AND IMPACTS

Health and wellbeing.

Hea 01	Natural light	New minimum standard for daylight for BREEAM OutstandingExemplary credit for glare controlDaylight simulations encouraged	NEW CREDITS
Hea 02	Artificial light	Now includes lighting zoning and occupant controlMore detailed external lighting requirements	NEW CREDITS
Hea 03	Non-visual effects of light	- New credit on health benefits of lighting	NEW CREDITS
Hea 04	Indoor air quality	Stricter requirements on construction emissionsSmoking ban within the building	
Hea 05	Thermal comfort	 Adaptive comfort methodology added for buildings with mechanical ventilation with limited comfort cooling 	
Hea 06	Acoustic performance	- Separates indoor ambient noise and sound insulation into different credits	

APPENDIX B

FAQs.

When can I register a scheme under V7?

BREEAM V7 registrations will be available later in 2025 following the launch of the new BREEAM assessment platform.

How long do I have to register a V6.1 assessment?

V6.1 registrations will be closed on 27th January 2026.

How long is a V6.1 registration valid for?


In order for a registration to be remain valid, at least one formal submission (design or post construction) will need to be made no more than 5 years following the launch of registrations for the V7 manual.

How will V7 change how we work?

BREEAM is intended to push the industry forward and drive more sustainable development, so we expect the process to be more challenging in some areas, but the reward will be a robust rating based on latest industry thinking and an opportunity to demonstrate market leadership.

Should I update all my registrations to V7?

As V7 is a significant update, adding new criteria and methodologies, if a design team concludes that V7 provides additional value compared to V6.1, all existing registrations can be updated to the V7 criteria (likely, without additional BRE fees).





Engineers of human experiences.

Hoare Lea is an award-winning engineering consultancy with a creative team of engineers, designers, and technical specialists. We provide innovative solutions to complex engineering and design challenges for buildings.

Irrespective of the scale or complexity of a project, we provide a full range of MEP, environmental, and sustainability services, bringing buildings to life and ensuring that they perform in operation as well as they look.

HOARELEA.COM

LETS TALK

Please contact me if you would like to know more.

Greg Jones

01454 806649 GregJones@hoarelea.com

